



NMP (Taping) CASE 135AD **ISSUE B**

DATE 14 JUL 2015





NOTES:

- DIMENSIONING AND TOLERANCING PER ASME Y14.5M, 1994.
- ASME Y14.5M, 1994.
 CONTROLLING DIMENSION: MILLIMETERS.
 DIMENSIONS D AND E DO NOT INCLUDE
 MOLD FLASH, PROTRUSIONS OR BURRS.
 MOLD FLASH, PROTRUSIONS, OR GATE
 BURRS SHALL NOT EXCEED 0.15 PER SIDE.
 DIMENSIONS D AND E ARE DETERMINED
 AT THE OUTERMOST EXTREMES OF THE
 PLASTIC BODY.

	MILLIMETERS			
DIM	MIN	MAX		
Α	2.30	2.70		
A2	0.85	1.25		
b	0.40	0.60		
b2	0.50	0.70		
b3	0.75	1.05		
С	0.35	0.55		
D	4.30	4.70		
Е	6.70	7.10		
е	2.44	2.64		
Н	0.80	1.20		
L	14.50	15.50		
L1	0.80	1.20		
L2	0.80	1.20		

	П		$ \rangle$			
END VIEW						

DOCUMENT NUMBER:	98AON78697E	Electronic versions are uncontrolled except when accessed directly from the Document Repository. Printed versions are uncontrolled except when stamped "CONTROLLED COPY" in red.	
DESCRIPTION:	NMP (TAPING)		PAGE 1 OF 1

ON Semiconductor and at a trademarks of Semiconductor Components Industries, LLC dba ON Semiconductor or its subsidiaries in the United States and/or other countries. ON Semiconductor reserves the right to make changes without further notice to any products herein. ON Semiconductor makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does ON Semiconductor assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation special, consequential or incidental damages. ON Semiconductor does not convey any license under its patent rights nor the rights of others.